



160 Watt 11kg Small Portable Solar Panels Monocrystalline For 12v Battery Charging

Basic Information

Place of Origin: China
Brand Name: Linksun
Certification: CE
Model Number: LS-160M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



Product Specification

Solar Cell: Monocrystalline Silicon Cells

• Name: 160W Small Portable Solar Panels

Portability: Portable

• Size: 1480*680x35mm

Warranty: 25 YearsWaterproof: YesWeight: 11.0kg

Benefits: Portable, Convenient, Lightweight, Efficient

• Protection Class: IP 65

• Highlight: 160 watt Small Portable Solar Panels,

11kg Small Portable Solar Panels,

160w solar panel CE

Linksun 160w Monocrystalline Solar Panel for 12v Battery Charging off-grid with High Efficiency

The 160 Watt, 11kg Small Portable Monocrystalline Solar Panels are perfect for 12V battery charging. Designed for portability and efficiency, these lightweight panels are easy to transport and install, making them ideal for camping, RVs, and off-grid adventures. Their high-efficiency monocrystalline cells ensure maximum power output and reliable performance. Durable and weather-resistant, they provide a sustainable energy solution for eco-conscious users.

Product Features:

1)Portability

Small dimensions make it easy to carry. Its small dimensions can occupy less of your activity area. When you are camping, picnicking, or fishing outdoors, this portable solar panel can help maintain your power needs. By the way, its lightweight feature can help you carry it better.

2)Long service life

The service life of monocrystalline silicon solar cells is relatively long, generally reaching around 20 years, with the highest reaching 25 years.

3)Easy installation

Pre-drilled holes on the back of the panel for fast mounting and securing.

4)Angle adjustable

This product can be equipped with a adjustable mounting bracket, which can rotate 360 degree angle. You can change the angle of solar panels and sunlight to maximize the efficiency.

Product Details:

Model	LS-160M
Maximum Power(Pmax)	160W
Maximum Power Voltage(Vmp)	18.2V
Maximum Power Current(Imp)	8.8A
Open Circuit Voltage(Voc)	22.4V
Short Circuit Current(Isc)	9.4A
Power Tolerance(Positive)	3%
Cell Type	Mono-crystalline silicon
Contract Dimensions(mm)	1480*680x35mm
Weight(KGS)	11.0kg
Protection Class	IP65
Maximum System Voltage	1000V
Temperature Range	-40 ~85
Standard Test Conditions	1000W/m2, AM1.5, 25°C



FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.

Q5:Where are your goods exported? A:We can export to all over the world.

LIINKSUN

Ningbo Linksun Energy Science & Technology Co., LTD

+8615888168085



sales02@zjlinksun.com



@ monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China