



570W Linksun 31.5kg Monocrystalline Silicon Solar Panels With 25 Years Warranty

Basic Information

Place of Origin: China
Brand Name: Linksun
Certification: CE BSCI
Model Number: LS-570M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

Supply Ability: 1000pieces per week



Product Specification

• Connector Type: MC4

Dimensions: 2279*1134*5.5mm(89.72*44.64*0.22inches)
 Front Glass: (F)2.0mm Ultra Clear Embossed Double

Layer Colorless Glass (B)2.0mm Semi-

tempered Glass

Item Type: Silicon Solar PanelLifespan: More Than 25 Years

• Minimum Order: 100pcs

Module Name: 570W Silicon Solar Panel
 Number Of Cells: 144(6x24)(Half-Cell)

Warranty: 25 Years

Highlight: MC4 Connector Mono Crystalline Solar Panels,

570w Monocrystalline Silicon Solar Panels, N Type Monocrystalline Silicon Solar Panels

Linksun 570w 31.5kg Monocrystalline Silicon Solar Panels With 25 Years Warranty

Introducing our 570W Monocrystalline Silicon Solar Panels, weighing 31.5kg and designed for optimal efficiency and durability. These panels use advanced monocrystalline silicon technology for superior performance, even in low-light conditions. With an IP68 waterproof rating, they are built to endure various weather conditions, ensuring reliable operation. Backed by a 25-year warranty, they promise long-term energy production and peace of mind. Perfect for residential, commercial, and industrial applications, these solar panels provide a sustainable and efficient energy solution.

Product Features:

1)High Efficiency

High modules conversion efficiency. Grade A solar cell and IP68 Rated waterproof solar panel connectors. This solar panel has 5 year 95% output warranty, 10 year 90% output warranty, 25 year 80% output warranty.

2)Reliable and Durable

Corrosion-resistant aluminum frame provides extended outdoor use that ensures the panel can last for decades. The IP68 rated junction box and solar connectors can withstand dirt, dust, debris, and water splashes.

3)High Tolerance

It can tolerate any part of the battery's shading, and performs well in low light conditions due to an increase in the number of batteries receiving more sunlight.

Product Details:

LS-570M	
570W	
42.26V	
13.49A	
51.13V	
14.2A	
3%	
N type Mono-crystalline,182x91mm	
2279*1134*5.5mm(89.72*44.64*0.22inches)	
31.5kg	
IP68	
1500V DC-(H)	
-40 ~85	
22.06%	
144(6x24)(Half-Cell)	
(F)2.0mm ultra clear embossed double layer	
colorless glass	
(B)2.0mm semi-tempered glass	
MC4	
4 mm ² ,Length:1300mm	

Temperature Characteristics		Packing Configuration	
Temp.Coeff.of Isc(TK Isc)	0.046%/	Container	40'GP
Temp.Coeff.of Voc(TK Voc)	-0.25%/	Pieces per pallet	72
Temp.Coeff.of Pmax(TK Pmax)	-0.30%/	Pallets per container	10
Normal operating cell Temperature	45±2	Pieces per container	720



FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China