

10W Folding Solar Blanket For Camping Small Solar Blanket

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 10
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:
- 100PCS 1pcs/carton 5-8days 30% TT in advance, 70% balance before delivery. 1000pieces per week

Product Specification

Product Name:	Solar Folding Bag	
Color:	Blue	
• Solar Cell:	Monocrystalline Cell	
 Application: 	Fishing, Camping, Picnics, And Hiking	
Warranty:	5 Years	
 Protection Class: 	IP65	
 Product Dimension(Folded):540*570*40mm 		
 Product Dimension(Open): 	2250*540*5mm	

China

CE

Linksun

LS-NB200M

 Highlight: 10W Solar Cloth Bag, Fishing Solar Cloth Bag, Camping Solar Cloth Bag





Our Product Introduction

More Images



10W Folding Solar Blanket For Camping Small Solar Blanket

The 10W Solar Cloth Bag is ideal for camping and fishing, offering a reliable solution for your charging needs. This portable and lightweight bag features a durable design, ensuring long-lasting use in various outdoor conditions. The integrated 10W solar panel efficiently converts sunlight into energy, keeping your devices powered up. Its versatile bracket allows for easy attachment to tents, backpacks, or other surfaces. Perfect for adventurers, this solar cloth bag ensures you stay connected and powered on the go.

Product Features:

1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance


Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-NB10M
Maximum Power(Pmax)	10W
Maximum Power Voltage(Vmp)	18V
Maximum Power Current(Imp)	0.56A
Open Circuit Voltage(Voc)	22.4V
Short Circuit Current(Isc)	0.59A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	215*310*2.5
Weight(KGS)	0.25kg
Protection Class	IP65
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China