

## Lightweight 120W Monocrystalline Solar Blanket

Our Product Introduction

for more products please visit us on [monosolarpanel.com](http://monosolarpanel.com)


### Basic Information

- Place of Origin: China
- Brand Name: Linksun
- Certification: CE
- Model Number: LS-NB120M
- Minimum Order Quantity: 100PCS
- Packaging Details: 1pcs/carton
- Delivery Time: 5-8days
- Payment Terms: 30% TT in advance, 70% balance before delivery.
- Supply Ability: 1000pieces per week



### Product Specification

- Product Name: Solar Folding Bag
- Solar Cell: Monocrystalline Cell
- Application: Fishing, Camping, Picnics, And Hiking, Including On Yachts And RVs.
- Warranty: 5 Years
- Protection Class: IP65
- Product Dimension: 1305\*5\*840mm
- Highlight: **120W Solar Blanket, 120W Monocrystalline Solar Blanket, Lightweight Monocrystalline Solar Blanket**



### More Images



## Lightweight 120W Monocrystalline Solar Blanket

The Lightweight 120W Monocrystalline Solar Blanket offers portable solar power with high efficiency. Designed for easy transport and setup, it's perfect for camping, RVs, and outdoor adventures. The monocrystalline cells ensure optimal energy conversion, even in low-light conditions. Its durable, weather-resistant material provides reliable performance, making it an excellent choice for off-grid power needs.

### Product Features:

- 1.Portable Design:** The solar panel is often foldable or designed to be compact, making it easy to transport. The accompanying bag usually has handles or straps for carrying.
- 2.High Efficiency:** The panel uses high-efficiency monocrystalline or polycrystalline solar cells to maximize energy conversion from sunlight.
- 3.Durability:** Made with robust materials to withstand outdoor conditions, including water-resistant or weatherproof fabric for the bag and rugged construction for the panel.
- 4.Compatibility:** Designed to be compatible with various devices and power stations, often including adapters and cables to connect to different input ports.
- 5.Smart Charging Technology:** Features such as MPPT (Maximum Power Point Tracking) controllers or smart charging algorithms to optimize power output and efficiency.

### Product Details:

Model	LS-NB120M
Maximum Power(Pmax)	120W (6x20W)
Maximum Power Voltage(Vmp)	18.20V
Maximum Power Current(Imp)	6.6A
Open Circuit Voltage(Voc)	22.4V
Short Circuit Current(Isc)	7.1A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	1305*840*5mm
Weight(KGS)	5.7kg
Protection Class	IP65
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





**FAQ:**

Q1:What's the solar panels warranty?

A: 5 year's warranty.If you have any questions about our quality during use,you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



**Ningbo Linksun Energy Science & Technology Co., LTD**



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China