

100W Portable solar blanket for camping

Basic Information

- Place of Origin:
- Brand Name:
- Certification:
- Model Number:
- Minimum Order Quantity: 100PCS
- Packaging Details:
- Delivery Time:
- Payment Terms:
- Supply Ability:

5-8days
30% TT in advance, 70% balance before delivery.
1000pieces per week

Product Specification

Product Name:	Solar Folding Bag
Color:	Blue
• Solar Cell:	Monocrystalline Cell
 Application: 	Fishing, Camping, Picnics
• Warranty:	5 Years
 Protection Class: 	IP65
• Product Dimension(Folded)	:540*570*25mm
 Product Dimension(Open): 	1660*540*5mm

China

CE

Linksun

LS-NB150M

1pcs/carton

- Highlight:
- Camping solar blanket, Camping Portable solar blanket, 100W Portable solar blanket



for more products please visit us on monosolarpanel.com

Our Product Introduction

More Images



100W Portable solar blanket for camping

The 100W Portable Solar Blanket for Camping is a lightweight, foldable solar panel designed for outdoor enthusiasts. It features high-efficiency monocrystalline cells, providing reliable power for charging devices like smartphones, tablets, and portable batteries. With built-in USB and DC outputs, it offers versatile charging options. Durable, water-resistant, and easy to set up, it's perfect for camping, hiking, or emergency use. The compact design includes carrying handles for portability, making it an essential companion for off-grid adventures.

Product Features:

1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

3) Fast charging

Professional design for mobile energy storage, high current charging faster.

Product Details:

Model	LS-NB100M
Maximum Power(Pmax)	100W
Maximum Power Voltage(Vmp)	20.2V
Maximum Power Current(Imp)	4.96A
Open Circuit Voltage(Voc)	24.2V
Short Circuit Current(Isc)	5.31A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	1260*540*5
Weight(KGS)	2kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders? A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order? A:Yes,of course.The lead time for samples is 7-10 days.		
Q4:Are you manufacturer or a trading company? A:We are manufacturer and our factory is based in Yuyao,Ningbo.Welcome your visit if you like.		
Q5:Where are your goods exported? A:We can export to all over the world.		
LINKS Ningbo Linksun Energy Science & Technology Co., LTD		
+8615888168085 Sales02@zjlinksun.com monosolarpanel.com		
	2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China	