



# 200W Foldable solar blanket for camping

## **Basic Information**

Place of Origin: ChinaBrand Name: LinksunCertification: CE

Model Number: LS-B200M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



## **Product Specification**

Product Name: Solar Folding Bag

Color: Black

Solar Cell: Monocrystalline Cell

• Application: Fishing, Camping, Picnics, And Hiking,

Including On Yachts And RVs.

Warranty: 5 YearsProtection Class: IP65

• Product Dimension(Folded):1900\*845\*5mm

• Highlight: 200W solar blanket,

200W Foldable solar blanket, Foldable solar blanket for camping



# More Images



# 200W Foldable solar blanket for camping

This 200W foldable solar blanket is ideal for camping, featuring high-efficiency monocrystalline solar cells for reliable and fast charging. Its lightweight, compact, and foldable design ensures easy transport and storage, perfect for outdoor adventures, RV trips, and emergency power backup. Equipped with multiple USB and DC output ports, it can charge smartphones, tablets, laptops, and other essential devices. Made from durable, waterproof materials, it provides stable performance in various weather conditions, making it a dependable power solution for outdoor enthusiasts.

#### **Product Features:**

#### 1)Folding, outdoor portable more convenient.

It can be used for fishing, camping, picnics, and hiking, including on yachts and RVs.

#### 2) Good waterproof performance

Made of high-quality silicon materials, these coatings have excellent waterproof, anti-corrosion, sun protection and other properties, making solar cloth bags suitable for long-term use in harsh outdoor environments and less susceptible to damage caused by rainwater.

#### 3) Fast charging

Professional design for mobile energy storage, high current charging faster.

#### **Product Details:**

Model	LS-B200M
Maximum Power(Pmax)	200W (8x25W)
Maximum Power Voltage(Vmp)	20.2V
Maximum Power Current(Imp)	9.91A
Open Circuit Voltage(Voc)	24.2V
Short Circuit Current(Isc)	10.59A
Power Tolerance(Positive)	± 3%
Cell Type	Monocrystalline cell
Contract Dimensions(mm)	1900*845*5mm
Weight(KGS)	7.5kg
Protection Class	IP65
Maximum System Voltage	60V
Temperature Range	-20°C - 85°C
Standard Test Conditions	1000W/m2, AM1.5, 25°C





#### FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



### Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China