



10W mono solar panel small panel for RV

Basic Information

Place of Origin: China
Brand Name: Linksun
Certification: CE_S BSCI
Model Number: LS-10M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



Product Specification

Cell Type: 10W Mono Solar Panel Small Panel For RV

Certifications: CE, BSCI
Product Dimension(mm): 340*240*17mm

• Efficiency: 22%

• Output Cables: 4 Mm²,Length:1300mm

Protection Class: IP68
Type Of Connector: MC4
Warranty: 25 Years

China factory manufacter 10W mono solar panel

This 10W mono solar panel is manufactured by a trusted China factory, specializing in high-efficiency photovoltaic products. Made with premium monocrystalline silicon cells, it delivers stable performance and excellent power output even in low-light conditions. The compact and lightweight design makes it ideal for small off-grid applications such as charging batteries, outdoor lighting, security systems, and DIY solar projects. Built with durable materials and a weather-resistant frame, it ensures long-lasting use in various environments. OEM and ODM services are available, making it a great choice for global distributors and project developers seeking reliable solar solutions.

Product Features:

1)High Efficiency

High modules conversion efficiency. Grade A solar cell and IP68 Rated waterproof solar panel connectors. This solar panel has 5 year 95% output warranty, 10 year 90% output warranty, 25 year 80% output warranty.

2)Reliable and Durable


Corrosion-resistant aluminum frame provides extended outdoor use that ensures the panel can last for decades. The IP68 rated junction box and solar connectors can withstand dirt, dust, debris, and water splashes.

3)High Tolerance

It can tolerate any part of the battery's shading, and performs well in low light conditions due to an increase in the number of batteries receiving more sunlight.

Product Details:

Model	LS-10M
Maximum Power(Pmax)	10W
Maximum Power Voltage(Vmp)	18V
Maximum Power Current(Imp)	0.56A
Open Circuit Voltage(Voc)	22.4V
Short Circuit Current(Isc)	0.6A
Cell Type	N type Mono-crystalline
Product Dimension(mm)	340*240*17mm
Weight(KGS)	0.75kg
Protection Class	IP68
Temperature Range	-40 ~85
Cell number	36
Front Glass	(F)2.0mm ultra clear embossed double layer colorless glass (B)2.0mm semi-tempered glass
Connector Type	MC4
Output Cables	4 mm ² ,Length:1300mm



Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.



Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China