



# 30W mono solar panel for camping

## **Basic Information**

Place of Origin: China
Brand Name: Linksun
Certification: CE
Model Number: LS-30M
Minimum Order Quantity: 100PCS
Packaging Details: 1pcs/carton
Delivery Time: 5-8days

• Payment Terms: 30% TT in advance, 70% balance before

delivery.

• Supply Ability: 1000pieces per week



## **Product Specification**

Application: 30W Mono Solar Panel For Camping

• Lifespan: 25 Years

Material: Monocrystalline Silicon Cells

Portability: PortablePower Source: Solar

• Size: 520\*360\*25mm

Temperature Range: -40 ~+85
Warranty: 25 Years
Waterproof: Yes

# 30W mono solar panel for camping

The 30W monocrystalline solar panel is an excellent power solution for camping and outdoor use. Designed with high-efficiency mono cells, it provides reliable energy output to charge small devices, power banks, lights, and other camping gear. Compact, lightweight, and easy to carry, this panel is perfect for portable setups. Its durable aluminum frame and tempered glass surface offer strong protection against harsh weather conditions. Easy to set up and compatible with most 12V battery systems, it ensures you stay powered during your adventures. Ideal for campers, hikers, and off-grid enthusiasts seeking clean and renewable energy.

### **Product Features:**

#### 1)Portability

Small dimensions make it easy to carry. Its small dimensions can occupy less of your activity area. When you are camping, picnicking, or fishing outdoors, this portable solar panel can help maintain your power needs. By the way, its lightweight feature can help you carry it better.

#### 2)Long service life

The service life of monocrystalline silicon solar cells is relatively long, generally reaching around 20 years, with the highest reaching 25 years.

## 3)Easy installation

Pre-drilled holes on the back of the panel for fast mounting and securing.

### 4)Angle adjustable

This product can be equipped with a adjustable mounting bracket, which can rotate 360 degree angle. You can change the angle of solar panels and sunlight to maximize the efficiency.

### **Product Details:**

Model	LS-30M
Maximum Power(Pmax)	30W
Maximum Power Voltage(Vmp)	17.5V
Maximum Power Current(Imp)	1.72A
Open Circuit Voltage(Voc)	21.42V
Short Circuit Current(Isc)	1.84A
Power Tolerance(Positive)	3%
Cell Type	Mono-crystalline silicon
Contract Dimensions(mm)	520*360*25mm
Weight(KGS)	2kg
Protection Class	IP65
Maximum System Voltage	600V
Temperature Range	-40 ~85
Standard Test Conditions	1000W/m2, AM1.5, 25°C



## FAQ:

Q1:What's the solar panels warranty?

A: 5 year's warranty. If you have any questions about our quality during use, you can contact us at any time.

Q2:Do you accept OEM/ODM orders?

A:We accept OEM/ODM orders.Welcome your inquiry.

Q3:Can I have samples to test?and what's the lead time for the sample order?

A:Yes,of course.The lead time for samples is 7-10 days.

Q4:Are you manufacturer or a trading company?

A:We are manufacturer and our factory is based in Yuyao, Ningbo. Welcome your visit if you like.

Q5:Where are your goods exported?

A:We can export to all over the world.

A:We always prepare a sample production before bulk production and have a final strict inspection before shipment.

# LIINKSUN

## Ningbo Linksun Energy Science & Technology Co., LTD



+8615888168085



sales02@zjlinksun.com



monosolarpanel.com

2nd ,Floor,No.1 Building,Wanyang Entrepreneurial City,Yuyao,Zhejiang Province, China